

RATIMOR Soft bait

Revision: 6

Date of issue: **30.6.2010**

Printed: 04.09.2024

1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY

1.1 Trade name: RATIMOR Soft bait

1.2 Use of the preparation: rodenticide, anticoagulant bait (RB)

1.3 Supplier: UNICHEM d.o.o., Sinja Gorica 2, Vrhnika

tel.: +386 (01) 75 58 150, fax.: +386 (01) 75 58 155

2. HAZARDS IDENTIFICATION

2.1 Safety hazard: Not explosive, not oxidising agent.

2.2 Hazard to health: Harmful in contact with skin and if swallowed.

2.3 Hazard to environment: Harmful to wildlife. Wild mammals and birds may be at greater risk if the product is not used in accordance with its label.

3. COMPOSITION/INFORMATION ON INGREDIENTS

	SYMBOL	R-Phrases	S-Phrases	
	T+,N	R27/28, 48/24/25, 50/53	S1/2,13,46,49,61	
Bromadiolon 0,05g/kg	CAS	EINECS/ELINCS	INDEX No.	
	28772-56-7	249-205-9	-	
IUPAC: 3-[3-(4'-bromobiphenyl-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxycoumarin				
CA: 3-[3-(4'-bromo [1,1'-biphenyl]-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2H-1-benzopyran-2-one				
	SYMBOL	R-Phrases	S-Phrases	
	Xn	R20/22, 37,38, 41,52/53	S22,26,35,36/37/39,45,61	
BITREX 0,05g/kg	CAS	EINECS/ELINCS	INDEX No.	
	3734-33-6	223-095-2	-	
IUPAC: N-[2-[2,6-dimethyl phenyl]amino]-2-oxoethyl]-N,N-diethylbenzenemethanaminium benzoate				



RATIMOR Soft bait

Revision: 6

Date of issue: **30.6.2010**

Printed: 04.09.2024

4. FIRST AID measures

Never induce vomiting and do not give anything to drink or eat if the patient is unconscious. Symptomatic treatment.

- 4.1 **Inhalation:** Not concerned.
- 4.2 **Contact with skin**: Take off contaminated clothes and shoes. Wash wit water and soap. See medical advice.
- 4.3 **Contact with eye**: Flush immediately eyes with a large amount of water for 15 minutes. Take advice of an ophthalmologist if irritation develops.
- 4.4 **Ingestion**: Wash out mouth. Do not induce vomiting. Do not give anything to eat or drink. Keep patient warm at rest. Seek medical advice immediately.

General advice: In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Advice for physicians: Bromadiolone is an indirect anticoagulant. Phytomenadione, Vitamin K_1 , is antidote. Determine prothrombin times not less than 18 hours after consumption. If elevated, administer Vitamin K_1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

5. FIRE-FIGHTING MEASURES

The product is not-flammable, but is combustible.

- 5.1 **Suitable extinguishing media**: Carbon dioxide (CO₂), alcohol-resistant foam, dry powder, water spray, mist or foam.
- 5.2 **Unsuitable extinguishing media**: Water jet from a fire hose.
- 5.3 **Fire and explosion hazards**: In case of fire, the product emits toxic and irritating fumes.
- 5.4 **Special protective equipments**: Wear self-contained breathing apparatus and protective clothing

Other recommendations: Do not breathe fumes. Keep fire exposed containers cool by spraying with water if exposed to fire.

6. ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal protection**: Wear protective equipment. (Figure 8)
- 6.2 Environment precautions: Sweep into a suitable container and store material collected.
- 6.3 **Clean-up procedures**: Rinse area with water and cleaning agent.

Other information: -



RATIMOR Soft bait

Revision: 6

Date of issue: **30.6.2010**

Printed: 04.09.2024

7. HANDLING AND STORAGE

- 7.1 **Handling**: Wash hands and exposed part of the body with soap after work. Always use good personal hygiene procedures when handling chemicals.
- 7.2 **Storage**: Store in dry cool conditions. Keep away from food, drink and animal feeding stuffs. Keep in original container.
- 7.3 **Specific use**: product is meant for diminish unwanted population of rats and mice.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 **Exposure limit values**: not known
- 8.2. Exposure controls:
 - 8.2.1 Occupational exposure controls
 - 8.2.1.1: **Respiratory protection**: Not concerned.
 - 8.2.1.2: **Hand protection**: Wear suitable glows
 - 8.2.1.3 Eyes protection: Not concerned.
 - 8.2.1.4: **Skin protection**: Wear suitable cloth.
 - 8.2.2 *Environmental exposure protection*: Avoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. General information				
Appearance:	Red soft mass like for cakes			
Odour:	Specific – according to aroma			
9.2. Important health, safety and environmental information				
pH:	n.a.			
Boiling point/boiling range:	n.a.			
Solidification point:	n.a.			
Flash point::	-			
Flammability:	none			
Self ignition::	none			
Explosive properties:	none.			
Oxidizing properties:	none.			
Density:	ca. 0.8 kg/dm ³			
Water solubility	practically insoluble			
	(19 mg/L at 20°C – bromadiolone)			
Viscosity:	-			
Vapour pressure:	(2×10 ⁻⁶ Pa at 20°C – bromadiolon)			
Partition coefficient: n-octanol/water	(log Kow=7.3 – bromadiolon)			



Revision: 6

Date of issue: **30.6.2010**

Printed: 04.09.2024

RATIMOR Soft bait

9.3 **Other information**: n.a.: not applicable

10. STABILITY AND REACTIVITY

10.1 **Condition to avoid**: high temperature

10.2 **Material to avoid**: strong oxidizers

10.3 **Hazardous decomposition products**: stable under normal conditions. Combustion or thermal decomposition will produce toxic and irritant fumes.

11. TOXICOLOGICAL INFORMATION

All data is about the active ingredient – BROMADIOLONE.

11.1 Acute toxicity:

Oral: $LD_{50} (rat) = 1.125 \text{ mg/kg (WHO)}$

 LD_{50} (rat) = 18,000 mg/kg – for bait

 LD_{50} (mouse) = 1.75 mg/kg

Dermal: LD_{50} (rat) = 2.1 mg/kg

Inhalation: LC_{50} (4h, rat) = 5.0 – 19.3 mg/m³

11.2 **Irritant potential:**

Eyes: Slightly irritating (rabbits)

Dermal: No irritating
Sensitization: Unknown

12. ECOLOGICAL INFORMATION

For active ingredient:

12.1 **Ecotoxicity**: Fish: LC_{50} (96 hours, different species) = 1.4 - 3.5 mg/L.

Avian: $LC_{50} = 0.264 \text{ mg/kg}$

- 12.2 **Mobility**: $K_{OC} = 528$; classification: <u>immobile</u> (Technical report n.14/07/1997 Chemservice)
- 12.3 **Persistence and degradability** : DT_{50} (soil) = 1.8 7.4 days
- 12.4 **Bioaccumulative potential**: Log Pow: 3.5 (Studio CH-14/96-B Chemservice)
- 12.5 **Results of PBT assessment**: no data

Other information: Do not dispose material in sewers and waterways.



RATIMOR Soft bait

Revision: 6

Date of issue: **30.6.2010**

Printed: 04.09.2024

13. Disposal consideration

Disposal should be in accordance with local state or national legislation. Make container unusable.

14. Transport information

There are no regulatory restrictions affecting the transport of the product. Transport conditions should be in accordance with section 7.2.

UN No.: 0: Not restricted.

Road, rail:	Sea	Air
Class: -	Class: -	Class
ADR / RID: -	IMO / IMDG: -	ICAO / IATA: -
group: -	group: -	Group:-

15. REGULATORY INFORMATION

15.1 **Symbols and labelling: Xn** – Harmful

15.2 Special risks (R):

R21/22 – Harmful in contact with skin and if swallowed.

R48/21/22 – Harmful: prolonged skin contact or ingestion may cause serious health problems.

R 51 – Toxic to aquatic organisms

15.3 Safety advices (S):

S 2 - Keep out of the reach of children.

S13 – Keep away from food, drink and animal feedingstuffs.

S20/21 – When using do not eat, drink or smoke.

S36/37 – Wear suitable protective clothing and gloves.

S46 – If swallowed, seek medical advice immediately and show this container or label.

S 61 - Avoid release to the environment. Refer to special instructions / Safety data sheets.

16. OTHER INFORMATION

All the information of this safety data sheet is based on our actual knowledge as well as on EEC regulations.

The product has not to be employed for different uses than those indicated in section 1.

Training: Workers should be trained avoid skin contact with the bait.

R-sentences in the document:

R20/22 – Harmful by inhalation and if swallowed.

R27/28 – Very toxic in contact with skin and if swallowed.

R37 – Irritating to respiratory system.



Date of issue:

Revision: 6

30.6.2010

Printed: 04.09.2024

RATIMOR Soft bait

R38 – Irritating to skin.

R41 – Risk of serious damage to eyes.

R48/24/25 – Toxic danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.

R50/53 – Toxic danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.

R52/53 – Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-sentences in the document:

- S1/2 Keep locked up and out of the reach of children.
- S13 Keep away from food, drink and animal feedstuffs.
- S22 Keep locked up and out of the reach of children.
- S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S35 This material and its container must be disposed of in a safe way.
- S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- S45 In case of accident or if you feel unwell, seek medical advice immediately.
- S46 If swallowed, seek medical advice immediately and show the container or label
- S49 Keep only in the original container
- S61 Avoid release to the environment. Refer to special instructions/ material safety data sheet