

Safety Data Sheet

SAKARAT BROMABAIT

1.	Identification of the preparation and the supplying Company	SAKARAT BROMABAIT. A ready to use rat and mouse bait based on whole wheat. Killgerm Chemicals Ltd, Denholme Drive, Ossett, West Yorkshire, WF5 9NA. Tel: +44 (0)1924 268450 Fax: (0)1924 265033 Email: technical@Killgerm.com				
2.	Hazard identification	Main Hazards Not classified as hazardous. Large quantities would need to be ingested to produce a toxic effect. Avoid all contact by mouth. Practically non-hazardous by skin contact. This product contains bromadiolone, an indirect anticoagulant. Any signs of poisoning are unlikely to occur until 12-18 hours after ingestion. Thereafter, they will develop progressively and may rapidly appear. Clinical signs result from an increased bleeding tendency and include: an increase in prothrombin time, bruising easily with occasional gum bleeding, blood in the stool or urine, excessive bleeding from minor cuts and abrasions, pale mouth and cold gums, anorexia and general weakness. More severe cases of poisoning include haemorrhage (usually internal) and shock. This product is hazardous to mammals including domesticated animals, and birds if ingested. Exposure of non-target animals should be prevented.				
3.	Composition and information on	Hazardous Components in Product				
	ingredients	Component Name Bromadiolone Technical Material	Classification T+. N.	Concentration 0.005%	R Phrases R27/28 R51/53	
		Bitrex	Xn. Xi	<2.5%	R20/22 R38 R41 R52/53	
		See paragraph 16 for full text of R-	redients.			
4.	First Aid measures	Ingestion:	Wash out mouth with water. Do not induce vomiting. Obtain medical attention.			
		Inhalation:	Unlikely route of exposure. Remove from exposure to fresh air. Obtain medical advice if symptoms develop.			
		Skin contact:	Wash skin with soap			
		Eye contact:	wash out eye with planecessary.	enty of water. Ob	tain medical advice if	
		Advice to doctor:	Bromadiolone is a (phytomenadione) is poisoning, determine after consumption. I for adults and 20mg, until prothrombin time for and resume treatme Vitamin K3 is not efferor comprehensive in contact the nearest F	s antidotal. In e prothrombin tim f elevated, admin day for children nes normalise. two weeks after ent if elevation contive. nedical advice on toisons Informatio	the case of suspected the not less than 18 hours ister vitamin K1, 40mg/day in divided doses. Continue Continue determination of withdrawal of the antidote occurs in that time. N.B. the treatment of poisoning, in Centre.	
5.	Fire-fighting measures	General Hazard	This product is non-flammable, but is combustible.			
		Extinguishing Media		material with wat	r carbon dioxide. er spray to minimise the ers and surroundings cool	
		Protective Equipment for Fire- Fighting	Wear self contained I	oreathing apparat	us.	
6.	Spillages	Any spillages should be cleared up immediately and disposed of safely. Wash contaminated surfaces with detergent solution.				

SAKARAT BROMABAIT

7.	Handling and Storage			Act 1985, and the Con	to the Food and Environmental Protection trol of Pesticides Regulations 1986 made t must be used in accordance with the	
		Precautions in u		under it. The product must be used in accordance with the product label. FOR USE ONLY BY PROFESSIONAL OPERATORS. AVOID ALL CONTACT BY MOUTH. PREVENT ACCESS TO BAIT by children, birds and non-target animals particularly dogs, cats, pigs and poultry. Search for and remove rodent bodies at frequent intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers). You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office. HARMFUL TO WILDLIFE. DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers). IF YOU FEEL UNWELL, seek medical advice (show the label where possible. WASH HANDS AND EXPOSED SKIN before meals and after use. EMPTY CONTAINER COMPLETELY and dispose of safely. When working in rodent infested areas it is recommended that synthetic rubber/PVC gloves be worn to protect against rodent-borne disease. Always attach labels to any containers used to carry bait decanted from the main container. Do not remove inner liner from outer bag. STORE UNUSED SACHETS in a safe place. DO NOT STORE part used sachets (place packs). Where appropriate, secure the bait (place pack/sachet) at its placement site to reduce the likelihood of its removal by rodents (or by surges of water if intended for use in sewers. STORE IN ORIGINAL CONTAINER, tightly closed, in a safe		
		Storage and transport precautions:		place. Store in a cool dry place. Protect from frost.		
8.	Exposure controls and personal protection	PPE ITEM	<u>IN USE</u>	T TOLOGE WOM WOOL	SPILLAGE	
	protection	Respirators			Half mask respirator to EN140 plus P class filter to EN 143 to required (nominal) protection factor (minimum).	
		Gloves	Unlined/Flock li rubber/PVC to E length) eg. Nitri	EN 374. (300mm in	Unlined/Flock lined, synthetic rubber/PVC to EN 374. (300mm in length) eg. Nitrile.	
		Overall	Basic type eg. F	Heavy duty polycotton or	Coverall type 5/6.	
		Goggles/ Faceshield			Goggles to EN 166 3459B.	
9.	Physical and chemical properties	Physical State		A whole wheat bait.		
		Colour Odour Flammability Solubility in wate Explosive Prope Oxidising Prope	erties rties	Green/Blue. No significant odour. Not flammable. Insoluble. None. None.		
10. 11.	Stability and Reactivity Toxicological information	Stable under no	rmal conditions. lassified as hazar	dous		
11.	Toxicological information	Not irritating to s Not a skin or res	skin or eyes. spiratory sensitise	r.	c, carcinogenic, or reproductive system	

Page 2 of 3 SDS: SAKARAT BROMABAIT Issue no. 3 Issue Date: MAR 2011

Safety Data Sheet

SAKARAT BROMABAIT

12.	Ecological information	This product is hazardous to mammals including domesticated animals, and birds if ingested. Exposure of non-target animals should be prevented. The active ingredient is very rapidly degraded by contact with soil.				
13.	Disposal considerations	 Empty outer pp 20k bag, uncontaminated- classified non-hazardous. EWC code 15 01 02 consider recycling route. Empty outer pp 20k bag, contaminated but shaken empty. EWC code 15 01 10. Waste classification- non-hazardous. None of hazardous properties apply. Empty inner liner (20k bag), contaminated but shaken empty. EWC code 15 01 10. Empty pp bag plus inner liner, contaminated but shaken empty. EWC code 15 01 10. Coveralls, gloves, other PPE, contaminated. EWC code 15 02 03. Waste classification-non-hazardous. None of hazardous properties apply. Spent bait. EWC code 07 04 13. Biocide solid waste. Waste classification-non-hazardous. None of hazardous properties apply. Contact supplier, local authority or Environment Agency for advice about disposal of waste 				
14.	Transport information	items. Not classified.				
15.	Regulatory information	This preparation has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3. These implement the Dangerous Preparations Directive- 99/35/EC. This Safety Data Sheet complies with CHIP 3 requirements and the Safety Data Sheets Directive 91/155/EEC (as amended by Directives 93/112/EC and 2001/58/EC). Restricted to professional users. Refer to other relevant measures such as the Health and Safety at Work etc Act 1974 and the COSHH regulations and guidance. The information contained in this data sheet does not constitute the user's own assessment of workplace risks as required by legislation. Hazard symbols: - None assigned. Risk phrases: - None assigned under CHIP 3. See section 7 for safety precautions.				
16.	Other information	This product is approved under the Control of Pesticides Regulations 1986. HSE no. 7902. Use only in accordance with label instructions. Ingredient classification data: T+, very toxic. Xn- Harmful. Xi- Irritant. N-Dangerous for the environment. R27/28- Very toxic in contact with skin and if swallowed. R20/22- Harmful by inhalation and if swallowed. R38- Irritating to skin. R41- Risk of serious damage to eyes. R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53- Harmful to aquatic organisms, may cause long-term effects in the aquatic environment. The information in this data sheet should be considered when undertaking a risk assessment under the COSHH regulations. This data sheet does not constitute a COSHH assessment. The information contained within this data sheet is strictly for general guidance only and should not be relied upon over and above this. This data sheet is intended to provide general health and safety guidance on the handling, storage and transportation of the preparation. The information provided in this data sheet is accurate at the date of publication and will be updated as and when appropriate. No liability will be accepted by Killgerm Chemicals Limited for any loss, injury or damage arising from any failure to comply with the information and advice contained within this data sheet and/or failure to comply with the manufacturer's guidelines, product label data and any associated technical usage literature. Incorporates the REACH requirement changes to safety data sheets.				

Page 3 of 3 SDS: SAKARAT BROMABAIT Issue no. 3 Issue Date: MAR 2011